



■ TEMPERED GLASS WORKSHOP >>>



1

Oil Coating



2

Glass Cutting



3

Precision CNC



4

Polishing



5

Tempering Oven



6

3D Hot Forming Machine



7

Silk-screen Printing



8

Full Inspection



9

Plasma Coating



10

Slitting Machine




11

AB glue Laminating



12

Ultrasonic Cleaning



Extreme Ultra Clear Mobile Screen Protector


Product Features


- Ultra Clear 92% transparency to maintain a high definition display clarity
- Extreme strength and reinforced edges (pass drop test at 180cm with 128g steel ball certified by SGS)

Specifications

Main Function	2.5D Ultra Clear - Extreme Strength
Glass Material	AGC/NSG/SCHOTT/CORNING/CSG
Glass Thickness	0.15mm/0.2mm/0.25mm/0.33mm/0.4mm
AB Glue	Japan/Korea/China Clear AB glue
AB Thickness	0.12mm/0.18mm/0.25mm/0.33mm
Anti-fingerprint	AF Plasma/Electroplating
Transparence	≥92%

BLC AG PV 2X 3X AR 5X





Full Silk Screen with Privacy Mobile Screen Protector

Product Features

- Full coverage for ultimate protection
- Two-way privacy filters
- Maximum scratch prevention, silky smooth feeling

Specifications

Main Function	2.5D Full Coverage Privacy - Extreme Strength
Glass Material	AGC/NSG/SCHOTT/CORNING/CSG
Glass Thickness	0.15mm/0.2mm/0.25mm/0.33mm/0.4mm
AB Glue	Japan/Korea/China Clear AB glue
AB Thickness	0.28mm/0.33mm
Anti-fingerprint	AF Plasma/Electroplating
Transparence	>60%

AG HD 2X 3X Antimicrobial 5X



2.5D
Curved Edge



Break Proof



Anti Fingerprint



Anti Scratch



Smooth
Touch



High Definition



Anti-Glare Full Coverage Mobile Screen Protector

Product Features

- Anti-reflection and anti-glare functions to reduce light reflection and improve visibility (Ra roughness between 0.10-0.13 μm)
- 2X Stronger for drop protection and reinforced edges (pass ball drop test at 150cm with 64g steel ball certified by SGS)

Specifications

Main Function	Anti-Glare Full Coverage - Double Strength
Glass Material	AGC/CSG
Glass Thickness	0.33mm
AB Glue	Japan/Korea/China Clear AB glue
AB Thickness	0.28mm/0.33mm
Anti-fingerprint	AF Plasma/Electroplating
Transparence	$\geq 87\%$

2X



Break Proof




Anti Fingerprint



Anti Scratch



Smooth
Touch



3D Blue Light Cut Mobile Screen Protector


Product Features

- Ultra Clear 90% transparency to maintain a high definition display clarity
- Extreme strength and reinforced edges (pass drop test at 180 cm with 128g steel ball certified by SGS)

Specifications

Main Function	3D Full Coverage - Extreme Strength
Glass Material	AGC/NSG/SCHOTT/CORNING/CSG
Glass Thickness	0.33mm
AB Glue	Japan/Korea/China Clear AB glue
AB Thickness	0.28mm/0.33mm
Anti-fingerprint	AF Plasma/Electroplating
Transparence	≥90%

BLC PV 2X 3X Antimicrobial



3D Shield Curved Mobile Screen Protector

Product Features

- High definition display clarity >92% transparency
- Perfect combination of resin and glass, reinforced edges and shatterproof

Specifications

Glass Material	AGC/CSG/Corning/SCHOTT
Glass Thickness	0.25mm/0.33mm
AB Glue	0.28mm/0.33mm
Anti-Fingerprint	AF Plasma/Electroplating

BLC AG PV 2X 3X 5X



3D
Resin Curved



Break Proof



Anti Fingerprint



Anti Scratch



Smooth
Touch



High Definition

Eagle Lens Protector

- Strong camera lens protection with aluminum alloy material
- Color match to iPhone 13/14/15

Specifications

Body Material	Aluminum/Stainless
Glass Material	CSG/Corning/Sapphire
Transparence	>95%
Type	CD/3D Lens/PVD



Break Proof



Anti Fingerprint



Anti Scratch



High Definition

5 elegant colours to choose from





Tablet & iPad Protector



Tablet with Anti-Bacterial Screen Protector

Product Features

- Ultra Clear with more than 92% transparency to maintain a high definition display clarity
- Inbuilt anti-bacterial coating
- More strength More Protection.

Specifications

Main Function	2.5D Ultra Clear
Glass Material	AGC/NSG/SCHOTT/CORNING/CSG
Glass Thickness	0.25mm/0.33mm
AB Glue	Japan/Korea/China Clear AB glue
AB Thickness	0.12mm/0.18mm/0.25mm
Anti-fingerprint	AF Plasma/Electroplating
Transparence	≥92%

BLC AG PV 2X Antimicrobial



2.5D
Curved Edge



Break Proof



Anti Fingerprint



Anti Scratch



Smooth
Touch



High Definition

Tool



Installation Kits

Auto alignment kit makes application quick and easy without dust.



Cap sheet

Reduced adhesion, Scratch Prevention, Precise positioning.



Cleaning Kits

Customized design and tooling material.



Package

Customized design and packaging material.

Recycled Protective Mobile Screen protector

Product Features

- High definition display clarity >92% transparency
- Extreme strength and reinforced edge
- Reduced use of energy carbon emissions reduction

Specifications

Glass Material Recycled pre-consumer glass (RM0244) + 30% Silica sand (RM0262)

Glass Thickness 0.33 mm

AB Glue 100% Recycled post-consumer polyethylene terephthalate (PET) (RM0197) + Polysiloxane (RM0262)

PC Board 100% Recycled post-consumer polycarbonate (PC) (RM0275)



ABOUT DISHENG

In 2016 , Dongguanshi Disheng Technology Electronic Co.Ltd was officially established, it's a high-tech enterprise integrating R&D, Production and Sales of various mobile accessories.

Disheng has successfully passed the ISO9001:2015,ISO14001:2015,BSCI,GSV and GRS certifications. To ensure product quality, the products have passed many international certifications such as ETL , RoHS , REACH,etc. certified by SGS and TUV.

Disheng will closely focus on the business philosophy of "Quality First, Customer Satisfaction, Sustainable Development",stand in the new development stage of China's manufacturing industry with a more vigorous attitude,hand in hand with winning spirit,we boldly embrace the future.

ISO9001:2015



ISO14001:2015



GRS



GSV



BSCI



Dongguanshi Disheng Technology Electronic Co.,Ltd

Email : jittima@dishengtech.com.cn

www.dishengtech.com



ISO9001:2015, ISO14001:2015, GSV, BSCI, GRS

No.525 Intelligent industry zone, Jinxing Road, Fushan Village, Liaobu District, Dongguan, Guangdong, China 523400.



Flexible Ultra-thin glass (UTG) Mobile Screen Protector

Product Features

- Made from 0.03 mm. SCHOTT Glass
- Ultra thin, Ultra tough, Ultra flexible
- Can bend more than 50,000 times (R=1.3 mm)

Specifications

Main Function	Main Function - Ultra Clear
Glass Material	Glass Material - SCHOTT GLASS
Glass Thickness	0.03 mm
AB Glue	Korea / Japan
AB Thickness	0.065 mm
Anti-fingerprint	Electroplating
Transparence	≥92%



Ultra Flexible



Ultra Thin



Ultra Tough



▲ Ordinary Tempered Glass



▲ Anti-Reflection Tempered Glass

Anti-Reflection Mobile Screen Protector

Product Features

- High clarity (VL: $\geq 94\%$)
- Anti-Scratches (≥ 5000 times)
- Reaction Rate wavelengths 600-650 nm ($\leq 0.9\%$)

Specifications

Main Function	Main Function - Ultra Clear
Glass Material	Glass Material - SCHOTT GLASS
Glass Thickness	0.03 mm
AB Glue	Korea / Japan
AB Thickness	0.065 mm
Anti-fingerprint	Electroplating
Transparence	$\geq 94\%$



Anti-Reflection



Clarity



Anti-Scratches