


*Quality is our priority*

# STAR Product Catalogue



# IMPLANTS

**STAR Sports Medicine, Co. Ltd.**

Address: Jing Hai 2nd Road, Building 1, No.25, First Floor, Room A018-B018, Beijing, P.R.China 100176

Phone : +86 193 5707 9002

[www.star-sportsmed.com](http://www.star-sportsmed.com)

@starsportsmed

V05.26



The background of the left half of the page is a vertical image of a starry night sky. A large, faint, glowing blue 'S' shape is superimposed on the sky. At the bottom of the page, there is a horizontal strip showing a snowy mountain range under a twilight sky.

# CONTENTS

---

**01** Company Introduction

---

**02** Titanium Suture Anchors

---

**07** PEEK/Bioabsorbable Suture Anchors

---

**16** All-Suture Anchors

---

**19** PEEK Interference Screw System

---

**21** Suture Buttons

---

**25** Syndesmosis Button

---

**26** Meniscal Repair

---

**28** Staples & Sutures

---

**32** Cannulas

---

**33** Cannulas

---

**37** RF Ablation System

---

# Company Introduction



STAR Sports Medicine is a manufacturer of innovative sports medicine products that offers integrated clinical solutions. Our CFDA-approved complete range of products is present across 3000+ hospitals in China.


With all the domestic achievements, and a variety of products from titanium, PEEK, all-suture to bio-absorbable, a full arthroscopic tower, all CE certified, we were ready to introduce our solutions to the international market in order to satisfy the needs of orthopedic surgeons and patients globally.

Our innovation and products development are based on direct collaborations with surgeons and experts. We are proud to obtain more than 200 invention patents, ranging from PCT patents, invention patents, design patents, and 50 authorized invention patents), we are dedicated to ensure that quality and service is our top priority.

We are committed to driving innovation in cutting-edge technologies, with a strong focus on research and development to ensure we remain at the forefront of medical advancements. Market-wise STAR Sports Medicine is one of the leading Chinese companies in the domestic market and rapidly emerging company in the global market.

## Entirescrew Full-Threaded Titanium Suture Anchor

- Full-threaded design for superior pullout strength ☆
- Self punching design, easily screws in ☆
- UHMWPE suture for superior strength ☆




### Order Information

| Model | Code      | Description                                                                   |
|-------|-----------|-------------------------------------------------------------------------------|
| TA2A2 | F01414724 | Full thread, 4.6mm × L19.5mm, two #2 suture (1 white, 1 white/blue)           |
| TA2A2 | F01175183 | Full thread, 5.6mm × L19.5mm, two #2 suture (1 white, 1 white/blue)           |
| TA2A2 | F01175423 | Full thread, 6.5mm × L19.5mm, two #2 suture (1 white, 1 white/blue)           |
| TA2A3 | F01414793 | Full thread, 4.6mm × L19.5mm, three #2 suture (1 white, 1 blue, 1 white/blue) |
| TA2A3 | F01414794 | Full thread, 5.6mm × L19.5mm, three #2 suture (1 white, 1 blue, 1 white/blue) |
| TA2A3 | F01414795 | Full thread, 6.5mm × L19.5mm, three #2 suture (1 white, 1 blue, 1 white/blue) |


# FastLock Titanium Suture Anchor

- ☆ Transitional thread design for less risk of pullback
- ☆ Double eyelet design to reduce suture wear and tear
- ☆ UHMWPE suture for superior strength



# Small Joints Titanium Suture Anchor

- Low profile design for small joints ☆
- Self punching design, easily screws in ☆
- UHMWPE suture for superior strength ☆



## ► Order Information


| Model | Code      | Description                                                                                                          |
|-------|-----------|----------------------------------------------------------------------------------------------------------------------|
| TA1B2 | F01196291 | Double thread, 3.6mm × L13.5mm, two #2 suture (1 white, 1 white/blue), with round 1/2 circle needle φ10.0mm x 18.0mm |
| TA1B2 | F01196728 | Double thread, 5.4mm × L16.0mm, two #2 suture (1 white, 1 white/blue), with round 1/2 circle needle φ10.0mm x 18.0mm |
| TA1A2 | F01150211 | Double thread, 3.6mm × L13.5mm, two #2 suture (1 white, 1 white/blue), without needle                                |
| TA1A2 | F01150648 | Double thread, 5.4mm × L16.0mm, two #2 suture (1 white, 1 white/blue), without needle                                |
| TA2A2 | F01414810 | 4.6mm × L19.5mm, two #2 suture (1 white/black, 1 white/blue), without needle                                         |
| TA2A2 | F01414811 | 5.6mm × L19.5mm, two #2 suture (1 white/black, 1 white/blue), without needle                                         |
| TA2A2 | F01414812 | 4.6mm × L19.5mm, three #2 suture (1 white/black, 1 white/blue, 1 blue), without needle                               |
| TA2A2 | F01414813 | 5.6mm × L19.5mm, three #2 suture (1 white/black, 1 white/blue, 1 blue), without needle                               |

## ► Order Information

| Model | Code      | Description                                                                        |
|-------|-----------|------------------------------------------------------------------------------------|
| TA4B2 | F01188694 | Mini anchor, 2.0mm × L7.0mm, two #2-0 suture (1 white, 1 blue), with round needle  |
| TA1B2 | F01190330 | Short handle, 2.8mm × L9.0mm, two #2-0 suture (1 white, 1 blue), with round needle |
| TA1A1 | F01006010 | Short handle, 2.8mm × L9.0mm, #2 suture (white/blue), without needle               |
| TA4A1 | F01010335 | Long handle, 2.8mm × L11.5mm, #2 suture (white/blue), without needle               |

# Little Wing Titanium Suture Anchor

- ☆ Low profile design for small joints
- ☆ Self punching design, easily screws in
- ☆ UHMWPE suture for superior strength



## Order Information

| Model | Code      | Description                                                                                        |
|-------|-----------|----------------------------------------------------------------------------------------------------|
| TA5B1 | F01414729 | Little wing, 1.3mm x L3.7mm, #2-0 suture (blue), with round 1/2 circle needle φ6.3mm x 12.0mm      |
| TA5B1 | F01414734 | Little wing, 1.3mm x L3.7mm, #4-0 suture (white), with round 3/8 circle needle φ5.3mm x 12.0mm     |
| TA5B1 | F01414730 | Little wing, 1.8mm x L5.4mm, #2-0 suture (blue), with round 1/2 circle needle φ6.3mm x 12.0mm      |
| TA5B1 | F01414731 | Little wing, 2.4mm x L8.8mm, #2 suture (white/blue), with round 1/2 circle needle φ10.0mm x 18.0mm |

# Instruments Titanium Suture Anchor



## Order Information

| Model   | Code      | Description                                         |
|---------|-----------|-----------------------------------------------------|
| ST40013 | F14000139 | Director for 2.8mm and 3.6mm titanium suture anchor |
| ST40013 | F14000140 | Director for 5.4mm titanium suture anchor           |
| ST11621 | F14004007 | Punch for 3.6mm and 5.4mm titanium suture anchor    |
| ST11621 | F14004006 | Punch for 2.8mm titanium suture anchor              |
| TAX20   | F14000183 | Guide cannula for 2.4mm Ti anchor with winglets     |
| TAX10   | F14000184 | Drill for 1.3mm Ti anchor with winglets             |
| TAX10   | F14000185 | Drill for 1.8mm Ti anchor with winglets             |
| TAX10   | F14000201 | Drill for 2.4mm Ti anchor with winglets             |

# ExtraLock Knotless PEEK Suture Anchor

- ☆ Knotless design for increased efficiency
- ☆ Porous anchor facilitates bone ingrowth
- ☆ Specialized anchor design for biceps tenodesis
- ☆ Available in self-punching tip



## ► Order Information

| Model  | Code      | Description                                                                                           |
|--------|-----------|-------------------------------------------------------------------------------------------------------|
| AK8-D  | F02000049 | ExtraLock Knotless, 3.5mm × L15.0mm                                                                   |
| AK7-D1 | F02000296 | ExtraLock Knotless, 4.75mm × L19.0mm, #2 suture (blue/black)                                          |
| AK7-D1 | F02000045 | ExtraLock Knotless, 4.75mm × L19.0mm, #2 suture (white/blue)                                          |
| AK7-D3 | F02000124 | ExtraLock Knotless, 4.75mm × L19.0mm, #2 suture (white/blue) and two 2mm tapes (1 blue, 1 white/blue) |
| AK7-D1 | F02000273 | ExtraLock Knotless, 4.75mm, 1.5mm tape (white/blue)                                                   |
| AK7-D1 | F02000271 | ExtraLock Knotless, 4.75mm × L21.0mm, 1.5mm tape (blue/black)                                         |
| AK7-D1 | F02000048 | ExtraLock Knotless, 5.5mm × L19.0mm, #2 suture (white/blue)                                           |
| AK7-D1 | F02000286 | ExtraLock Knotless, 5.5mm × L21.0mm, 1.5mm tape (blue/black)                                          |
| AK7-D1 | F02000274 | ExtraLock Knotless, 5.5mm × L21.0mm, 1.5mm tape (blue)                                                |
| AK7-D1 | F02000287 | ExtraLock Knotless, 5.5mm × L19.0mm, #2 suture (blue/black)                                           |
| AK7-D1 | F02000295 | ExtraLock Knotless, 5.5mm × L19.0mm, #2 suture (black)                                                |
| AK7-D1 | F02000272 | ExtraLock Knotless, 5.5mm × L21.0mm, 1.5mm tape (white/black)                                         |

# ExtraLock Knotless PEEK Suture Anchor



ExtraLock Knotless Anchor  
4.75mm/5.5mm



Self-Punching Knotless Anchor



ExtraLock Knotless Anchor  
3.5mm




Biceps Tenodesis Knotless Anchor

## ► Order Information

| Model     | Code      | Description                                                                  |
|-----------|-----------|------------------------------------------------------------------------------|
| AKM10M3E1 | F23000815 | Self punching, ExtraLock Knotless, 4.75mm × L25.0mm, #2 suture (white/blue)  |
| AKM10M3E1 | F23000818 | Self punching, ExtraLock Knotless, 4.75mm × L26.5mm, 1.5mm tape (blue/black) |
| AKM10M3E1 | F23000825 | Self punching, ExtraLock Knotless, 4.75mm × L25.0mm, #2 suture (blue)        |
| AKM10M3E1 | F23000821 | Self punching, ExtraLock Knotless, 5.5mm × L26.5mm, 1.5mm tape (blue/black)  |
| AKM10M3E1 | F23000826 | Self punching, ExtraLock Knotless, 5.5mm × L25.0mm, #2 suture (blue)         |
| AK6-D1    | F02000036 | Biceps Tenodesis, ExtraLock Knotless, 7mm × L19.5mm, #2 suture (white/blue)  |
| AK6-D1    | F02000039 | Biceps Tenodesis, ExtraLock Knotless, 8mm × L19.5mm, #2 suture (white/blue)  |
| AK6-D1    | F02000042 | Biceps Tenodesis, ExtraLock Knotless, 9mm × L19.5mm, #2 suture (white/blue)  |
| AK6-D1    | F02000288 | Biceps Tenodesis, ExtraLock Knotless, 7mm × L19.5mm, #2 suture (blue/black)  |
| AK6-D1    | F02000289 | Biceps Tenodesis, ExtraLock Knotless, 8mm × L19.5mm, #2 suture (blue/black)  |
| AK6-D1    | F02000290 | Biceps Tenodesis, ExtraLock Knotless, 9mm × L19.5mm, #2 suture (blue/black)  |

TapScrew Knotless  
PEEK Suture Anchor

- ☆ Available in 3.0mm, 3.5mm, and 4.5mm
- ☆ Barbed structure design, easy to knock-in
- ☆ Suitable for knotless fixation of labrum, RCR repair and more
- ☆ Available in self-punching tip variant



Order Information

| Model   | Code      | Description                                       |
|---------|-----------|---------------------------------------------------|
| AK5-C   | F02000031 | TapScrew Knotless, 3.0mm × L15.5mm                |
| AK5-C   | F02000032 | TapScrew Knotless, 3.5mm × L19.5mm                |
| AK5-C   | F02000033 | TapScrew Knotless, 4.5mm × L24.0mm                |
| AKM9M3C | F23000820 | Self-Punching, TapScrew Knotless, 4.5mm × L28.0mm |

FastLock  
PEEK Suture Anchor

- ☆ Full-threaded design for stronger pull-out strength
- ☆ Internal driving method reduces risk of breakage
- ☆ Designed for rotator cuff repair and more




Order Information

| Model  | Code      | Description                                                                                                                         |
|--------|-----------|-------------------------------------------------------------------------------------------------------------------------------------|
| AK9-A2 | F02000050 | FastLock, 4.5mm × L19.0mm, two #2 suture (1 white, 1 white/blue)                                                                    |
| AK9-A2 | F02000292 | FastLock, 4.5mm × L19.0mm, two #2 suture (1 blue, 1 white/blue)                                                                     |
| AKM7D3 | F02000118 | FastLock, 4.5mm × L19.0mm, three #2 suture (1 white, 1 blue, 1 white/blue)                                                          |
| AKM7D3 | F02000277 | FastLock, 4.5mm × L19.0mm, three #2 suture (1 blue, 1 white/blue, 1 white/black)                                                    |
| AKM7D2 | F02000119 | FastLock, 4.5mm × L19.0mm, #2 suture (white) and 1.5mm tape (white/blue)                                                            |
| AK9-A2 | F02000278 | FastLock, 4.5mm × L19.0mm, #2 suture (white/black) and 1.5mm tape (blue)                                                            |
| AK9-A2 | F02000279 | FastLock, 4.5mm × L19.0mm, #2 suture (white/blue) and 1.5mm tape (black)                                                            |
| AKM7D2 | F02000120 | FastLock, 4.5mm × L19.0mm, two 1.5mm tape (1 white, 1 white/blue)                                                                   |
| AK9-A2 | F02000280 | FastLock, 4.5mm × L19.0mm, two 1.5mm tape (1 white/blue, 1 black)                                                                   |
| AK9-A2 | F02000056 | FastLock, 5.5mm × L19.0mm, two #2 suture (1 white, 1 white/blue)                                                                    |
| AK9-A2 | F02000293 | FastLock, 5.5mm × L19.0mm, two #2 suture (1 blue, 1 white/blue)                                                                     |
| AKM7D3 | F02000121 | FastLock, 5.5mm × L19.0mm, three #2 suture (1 white, 1 blue, 1 white/blue)                                                          |
| AKM7D3 | F02000281 | FastLock, 5.5mm × L19.0mm, three #2 suture (1 blue, 1 white/blue, 1 white/black)                                                    |
| AKM7D2 | F02000122 | FastLock, 5.5mm × L19.0mm, #2 suture (white) and 1.5mm tape (white/blue)                                                            |
| AKM7D2 | F02000294 | FastLock, 5.5mm × L19.0mm, #2 suture (blue) and 1.5mm tape (white/black)                                                            |
| AKM7D2 | F02000283 | FastLock, 5.5mm × L19.0mm, #2 suture (white/blue) and 1.5mm tape (black)                                                            |
| AKM7D2 | F02000282 | FastLock, 5.5mm × L19.0mm, #2 suture (white/black) and 1.5mm tape (blue)                                                            |
| AKM7D2 | F02000123 | FastLock, 5.5mm × L19.0mm, two 1.5mm tape (1 white, 1 white/blue)                                                                   |
| AK9-A2 | F02000284 | FastLock, 5.5mm × L19.0mm, two 1.5mm tape (1 white/blue, 1 black)                                                                   |
| AKM7B2 | F02000297 | FastLock, 4.5mm × L19.0mm, two #2 suture (1 blue, 1 black/white), 950mm length with round needle, circular 1/2 arc φ10.0mm × 18.0mm |
| AK9-K2 | F02000298 | FastLock, 5.5mm × L19.0mm, two 1.5mm tape (1 blue, 1 black/white) with round needle, circular 1/2 arc φ12.8mm × 18.0mm              |

# StarScrew

## PEEK Suture Anchor


- ☆ Porous design to facilitate bone ingrowth
- ☆ Full-threaded design for stronger pull-out strength
- ☆ Internal driving method reduces risk of breakage



# FixTree

## PEEK Suture Anchor

- Available in 2.5mm and 3.0mm ☆
- 1 or 2 sutures to meet surgeon requirements ☆
- Elongated shaft for shoulder/hip labrum repair and more ☆



### ► Order Information

| Model  | Code      | Description                                                                          |
|--------|-----------|--------------------------------------------------------------------------------------|
| AK3-B2 | F02000072 | StarScrew, 4.5mm × L15.0mm, two #2 suture (1 white, 1 white/blue), porous anchor     |
| AK3-B2 | F02000010 | StarScrew, 5.5mm × L14.5mm, two #2 suture (1 white, 1 white/blue), porous anchor     |
| AK1-B2 | F02000004 | StarScrew, 4.5mm × L14.0mm, two #2 suture (1 white, 1 white/blue), non-porous anchor |

### ► Order Information

| Model  | Code      | Description                                                                                                          |
|--------|-----------|----------------------------------------------------------------------------------------------------------------------|
| AK4-B1 | F02000018 | FixTree, 2.5mm × L11.8mm, #2 suture (white/blue)                                                                     |
| AK4-B1 | F02000024 | FixTree, 3.0mm × L12.4mm, #2 suture (white/blue)                                                                     |
| AK4-B2 | F02000059 | FixTree, 3.0mm × L13.2mm, two #2 suture (1 white, 1 white/blue)                                                      |
| AK4-K1 | F02000299 | FixTree, 3.0mm × L12.4mm, #2 suture (white/blue), 950mm length, with round needle, circular 1/2 arc φ10.0mm × 18.0mm |

Bioabsorbable\*  
Suture Anchor

\*only available in certain regions



Bioabsorbable ExtraLock



Bioabsorbable TapScrew



Bioabsorbable FastLock



Bioabsorbable FixTree

► Order Information

| Model   | Code      | Specification                                                                   |
|---------|-----------|---------------------------------------------------------------------------------|
| AA7P1E1 | F03000012 | Bioabsorbable, ExtraLock Knotless, 4.75mm × L19.00mm, #2 suture (white/blue)    |
| AA7P1E1 | F03000013 | Bioabsorbable, ExtraLock Knotless, 5.5mm × L19.0mm, #2 suture (white/blue)      |
| AA8P4C  | F03000023 | Bioabsorbable, TapScrew, 4.5mm × L24.0mm                                        |
| AA8P4C  | F03000026 | Bioabsorbable, TapScrew, 3.0mm × L15.5mm                                        |
| AA6D2   | F03000015 | Bioabsorbable, FastLock, 4.5mm × L19.0mm, two #2 suture (1 white, 1 white/blue) |
| AA6D2   | F03000016 | Bioabsorbable, FastLock, 5.5mm × L19.0mm, two #2 suture (1 white, 1 white/blue) |
| AA1D2   | F03000027 | Bioabsorbable, StarScrew, 4.5mm × L17mm, two #2 suture (1 white, 1 white/blue)  |
| AA1D2   | F03000028 | Bioabsorbable, StarScrew, 5.5mm × L17mm, two #2 suture (1 white, 1 white/blue)  |
| AA4A2   | F03000007 | Bioabsorbable, FixTree, 3.0mm × L11.8mm, two #2 suture (1 white, 1 white/blue)  |
| AA4A1   | F03000017 | Bioabsorbable, FixTree, 3.0mm × L11.8mm, #2 suture (white/blue)                 |

Instruments  
PEEK/Bioabsorbable Suture Anchor



► Order Information

| Model   | Code      | Description                                                       |
|---------|-----------|-------------------------------------------------------------------|
| ST11611 | F14004000 | Punch for 4.5mm StarScrew/TapScrew, 4mm × 141mm                   |
| ST11611 | F14004001 | Punch for 5.5mm StarScrew/4.75mm & 5.5mm ExtraLock, 4.5mm × 143mm |
| ST1180  | F14004005 | Threaded punch for 4.75mm ExtraLock                               |
| ST1180  | F14004010 | Threaded punch for 5.5mm StarScrew/ExtraLock                      |
| ST1180  | F14004098 | Threaded punch for 5.5mm StarScrew                                |
| ST1180  | F14004103 | Threaded punch for 4.5mm StarScrew                                |
| ST11611 | F14004039 | Punch for 4.5mm FastLock, 4.3mm × 150mm                           |
| ST1180  | F14004044 | Threaded punch for 4.5mm FastLock                                 |
| ST11611 | F14004042 | Punch for 5.5mm FastLock, 5mm × 141mm                             |
| ST1180  | F14004045 | Threaded punch for 5.5mm FastLock                                 |
| S70072  | F14004023 | Drill for 7mm ExtraLock, 7.5mm × 180.0mm                          |
| S70072  | F14004024 | Drill for 7mm ExtraLock, 8.0mm × 180.0mm                          |
| S70072  | F14004025 | Drill for 8mm ExtraLock, 8.5mm × 180.0mm                          |
| S70072  | F14004026 | Drill for 8mm ExtraLock, 9.0mm × 180.0mm                          |
| S70072  | F14004027 | Drill for 9mm ExtraLock, 9.5mm × 180.0mm                          |
| S70072  | F14004028 | Drill for 9mm ExtraLock, 10.0mm × 180.0mm                         |

Instruments


PEEK/Bioabsorbable Suture Anchor

| Model   | Code      | Description                                                                                                             |
|---------|-----------|-------------------------------------------------------------------------------------------------------------------------|
| ST11631 | F14004016 | Guide handle for 2.5mm FixTree, 2.6mm × 128.0mm                                                                         |
| S70071  | F14004014 | Punch for 2.5mm FixTree, 2.0mm × 249.0mm                                                                                |
| S70031  | F14004029 | Pin sleeve obturator for 2.5mm FixTree, 2.6mm × 235.0mm, cuspidal                                                       |
| S70032  | F14004030 | Pin Sleeve Obturator for 2.5mm FixTree, 2.6mm × 230.0mm, blunt                                                          |
| ST11631 | F14004021 | Guide handle for 3.0mm TapScrew/FixTree, 3.4mm × 126.0mm                                                                |
| S70071  | F14004022 | Punch for 3.0mm TapScrew/FixTree, 2.3mm × 248.0mm                                                                       |
| S70031  | F14004033 | Pin sleeve obturator for 3.0mm TapScrew/FixTree, 3.5mm × 235.0mm, cuspidal                                              |
| S70032  | F14004034 | Pin Sleeve Obturator for 3.0mm TapScrew/FixTree, 3.5mm × 230.0mm                                                        |
| ST11631 | F14004021 | Guide handle for 3.0mm FixTree (hard bone), 3.4mm × 126.0mm                                                             |
| S70071  | F14004099 | Punch for 3.0mm FixTree (hard bone), 2.6mm × 245.0mm, depth limited drill                                               |
| S70031  | F14004033 | Pin sleeve obturator for 3.0mm FixTree (hard bone), 3.5mm × 235.0mm, cuspidal                                           |
| S70032  | F14004034 | Pin Sleeve Obturator for 3.0mm FixTree (hard bone), 3.5mm × 230.0mm, blunt                                              |
| ST11631 | F14004017 | Guide handle for 3.5mm TapScrew, 3.7mm × 128.0mm                                                                        |
| S70071  | F14004018 | Punch for 3.5mm TapScrew, 2.9mm × 253.0mm                                                                               |
| S70031  | F14004031 | Pin sleeve obturator for 3.5mm TapScrew, 3.8mm × 235.0mm, cuspidal                                                      |
| S70032  | F14004032 | Pin Sleeve Obturator for 3.5mm TapScrew, 3.8mm × 230.0mm, blunt                                                         |
| ST11631 | F14004021 | Guide handle for 3.0mm TapScrew/3.0mm FixTree (hard bone), 3.4mm × 126.0mm                                              |
| S70071  | F14004090 | Punch for 3.0mm TapScrew (hard bone), 2.9mm × 248.0mm                                                                   |
| S70031  | F14004033 | Pin Sleeve Obturator for 3.0mmTapScrew (hard bone), 3.5mm × 235.0mm, cuspidal                                           |
| S70031  | F14004034 | Pin Sleeve Obturator for 3.0mmTapScrew (hard bone), 3.5mm × 230.0mm, blunt                                              |
| ST11631 | F14004096 | Guide handle for 3.0mm TapScrew/3.0mm FixTree/<br>3.0mm TapScrew (hard bone)/3.0mm FixTree (hard bone), 3.4mm × 228.0mm |
| ST11631 | F14004017 | Guide handle for 3.5mm ExtraLock, 3.7mm × 128.0mm                                                                       |
| S70071  | F14004015 | Punch for 3.5mm ExtraLock, 3.4mm × 249.0mm                                                                              |
| S70031  | F14004031 | Pin sleeve obturator for 3.5mm ExtraLock, 3.8mm × 235.0mm, cuspidal                                                     |
| S70032  | F14004032 | Pin Sleeve Obturator for 3.5mm ExtraLock, 3.8mm × 230.0mm                                                               |
| ST11631 | F14004017 | Guide handle for 4.75mm ExtraLock (hard bone), 3.7mm × 128.0mm                                                          |
| S70071  | F14004089 | Punch for 4.75mm ExtraLock (hard bone), 3.8mm × 250.0mm                                                                 |
| S70031  | F14004031 | Pin sleeve obturator for 4.75mm ExtraLock (hard bone), 3.8mm × 235.0mm, cuspidal                                        |
| S70032  | F14004032 | Pin Sleeve Obturator for 4.75mm ExtraLock (hard bone), 3.8mm × 230.0mm, blunt                                           |


Y-Fix

All-Suture Anchor

- ☆ Optimal inserter design after hundreds of tests
- ☆ Patented Y-shaped anchor provides excellent strength
- ☆ Reduces ~60% of bone removal compared to pre-drill implants




Operation Steps



Order Information

| Model | Code      | Description                                                                                                               |
|-------|-----------|---------------------------------------------------------------------------------------------------------------------------|
| AS2A2 | F19000063 | Knotless, Y-Fix 1.8mm, 4.0mm × 16.0mm, #2 suture (white/blue) and #2-0 loop suture (blue), 165mm                          |
| AS2A2 | F19000309 | Knotless, Y-Fix 1.8mm, 4.0mm × 16.0mm, #2 suture (white/blue) and #2-0 loop suture (black), 165mm                         |
| AS2A2 | F19000062 | Knotless, Y-Fix 2.8mm, 4.5mm × 18.0mm, #5 suture (white/blue) and #0 loop suture (blue), 165mm                            |
| AS2A2 | F19000313 | Knotless, Y-Fix 2.8mm, 4.5mm × 18.0mm, #5 suture (white/blue) and #0 loop suture (black), 165mm                           |
| AS2B2 | F19000308 | Y-Fix 1.8mm, 4.5mm × 18.0mm, two #2 suture (1 blue, 1 white/black), 165mm, with round 1/2 circle needle φ10.0mm x 18.0mm  |
| AS2B2 | F19000311 | Y-Fix 2.8mm, 4.5mm × 18.0mm, two #2 suture (1 blue, 1 white/black), 165mm, with round 1/2 circle needle φ10.0mm x 18.0mm  |
| AS2B2 | F19000312 | Y-Fix 2.8mm, 4.5mm × 18.0mm, two 1.5mm tape (1 blue, 1 white/black), 165mm, with round 1/2 circle needle φ12.8mm x 18.0mm |

Y-Fix  
All-Suture Anchor



Width before knotting 2.8mm



Width after knotting 5.5mm

► Order Information

| Model | Code      | Description                                                                                |
|-------|-----------|--------------------------------------------------------------------------------------------|
| AS5A2 | F19000005 | Y-Fix 1.3mm, 3.5mm × L14.0mm, two #2 suture (1 white, 1 white/blue), 165mm                 |
| AS5A2 | F19000016 | Y-Fix 1.3mm, 3.5mm × L14.0mm, two #2 suture (1 white, 1 white/blue), 250mm                 |
| AS5A2 | F19000004 | Y-Fix 1.8mm, 4.0mm × L16.0mm, two #2 suture (1 white, 1 white/blue), 165mm                 |
| AS5A2 | F19000307 | Y-Fix 1.8mm, 4.0mm × L16.0mm, two #2 suture (1 blue, 1 white/black), 165mm                 |
| AS5A2 | F19000015 | Y-Fix 1.8mm, 4.0mm × L16.0mm, two #2 suture (1 white, 1 white/blue), 257mm                 |
| AS5A2 | F19000333 | Y-Fix 1.8mm, 4.0mm × L16.0mm, two #2 suture (1 white/blue, 1 black), 258mm                 |
| AS5A2 | F19000028 | Y-Fix 1.8mm, 4.0mm × L16.0mm, 1.5mm tape (white/blue) and #2 suture (white), 165mm         |
| AS5A2 | F19000332 | Y-Fix 1.8mm, 4.0mm × L16.0mm, 1.5mm tape (blue) and #2 suture (white/black), 165mm         |
| AS5A2 | F19000027 | Y-Fix 1.8mm, 4.0mm × L16.0mm, two 1.5mm tapes (1 blue, 1 white/blue), 165mm                |
| AS5A2 | F19000310 | Y-Fix 2.8mm, 4.5mm × L18.0mm, two #2 suture (1 white/blue, 1 black), 165mm                 |
| AS5A2 | F19000001 | Y-Fix 2.8mm, 4.5mm × L18.0mm, two #2 suture (1 white, 1 white/blue), 165mm                 |
| AS5A2 | F19000029 | Y-Fix 2.8mm, 4.5mm × L18.0mm, two 1.5mm tapes (1 blue, 1 white/blue), 165mm                |
| AS5A2 | F19000045 | Y-Fix 2.8mm, 4.5mm × L18.0mm, two 1.5mm tapes (1 white/blue, 1 black), 165mm               |
| AS5A2 | F19000047 | Y-Fix 2.8mm, 4.5mm × L18.0mm, two 1.5mm tapes (1 blue, 1 white/black), 165mm               |
| AS5A2 | F19000030 | Y-Fix 2.8mm, 4.5mm × L18.0mm, 1.5mm tape (white/blue) and #2 suture (white), 165mm         |
| AS5A2 | F19000046 | Y-Fix 2.8mm, 4.5mm × L18.0mm, 1.5mm tape (black) and #2 suture (white/blue), 165mm         |
| AS5A2 | F19000048 | Y-Fix 2.8mm, 4.5mm × L18.0mm, 1.5mm tape (blue) and #2 suture (white/black), 165mm         |
| AS5A3 | F19000331 | Y-Fix 2.8mm, 4.5mm × L18.0mm, three 1.3mm tape (1 white, 1 blue, 1 black), 165mm           |
| AS5A3 | F19000325 | Y-Fix 2.8mm, 4.5mm × L18.0mm, three #2 suture (1 white, 1 blue, 1 black), 165mm            |
| AS5A3 | F19000335 | Y-Fix 2.8mm, 4.5mm × L18.0mm, three #2 suture (1 white/blue, 1 blue, 1 white/black), 165mm |
| AS5C2 | F19000341 | Y-Fix 2.8mm, 4.5mm × L18.0mm, two 1.5mm tape (1 white/blue, 1 black), 190mm                |
| AS5C2 | F19000342 | Y-Fix 2.8mm, 4.5mm × L18.0mm, #2 suture (white/blue) and 1.5mm tape (black), 190mm         |
| AS5C2 | F19000343 | Y-Fix 2.8mm, 4.5mm × L18.0mm, two 1.5mm tape (1 blue, 1 white/black), 190mm                |
| AS5C2 | F19000344 | Y-Fix 2.8mm, 4.5mm × L18.0mm, #2 suture (white/black) and 1.5mm tape (blue), 190mm         |

Instruments  
All-Suture Anchor



► Order Information

| Model   | Code      | Description                                               |
|---------|-----------|-----------------------------------------------------------|
| QRT1    | F14900112 | Guide handle for 1.3mm Y-Fix 165mm, 5.0mm × 122mm         |
| ST11621 | F14004095 | Punch for 1.3mm Y-Fix 165mm, 1.8mm × 159mm                |
| S70032  | F14900114 | Pin Sleeve Obturator for 1.3mm Y-Fix 165mm, 3.8mm × 145mm |
| QRT1    | F14900111 | Guide handle for 1.8mm Y-Fix 165mm, 5.0mm × 116mm         |
| S70071  | F14004094 | Punch for 1.8mm Y-Fix 165mm, 2.0mm × 153mm                |
| S70032  | F14900114 | Pin Sleeve Obturator for 1.8mm Y-Fix 165mm, 3.8mm × 145mm |
| QRT1    | F14900110 | Guide handle for 2.8mm Y-Fix 165mm, 6.0mm × 110mm         |
| S70071  | F14004093 | Punch for 2.8mm Y-Fix 165mm, 2.6mm × 148mm                |
| S70032  | F14900113 | Pin Sleeve Obturator for 2.8mm Y-Fix 165mm, 4.4mm × 135mm |
| ST11631 | F14004017 | Guide handle for 1.3mm Y-Fix 257mm, 3.7mm × 128mm         |
| ST11621 | F14004091 | Punch for 1.3mm Y-Fix 257mm, 1.8mm × 244mm                |
| S70032  | F14004032 | Pin Sleeve Obturator for 1.3mm Y-Fix 257mm, 3.8mm × 230mm |
| ST11631 | F14004017 | Guide handle for 1.8mm Y-Fix 257mm, 3.7mm × 128mm         |
| S70071  | F14004092 | Punch for 1.8mm Y-Fix 257mm, 2.0mm × 245mm                |
| S70032  | F14004032 | Pin Sleeve Obturator for 1.8mm Y-Fix 257mm, 3.8mm × 230mm |

# Interference Screw System


- ☆ Sheath design protects from graft cutting during insertion procedure
- ☆ Tapered screw and thread design achieves optimal performance and superior pullout strength
- ☆ PEEK material with excellent biocompatibility
- ☆ Multi-window sheath design for better bone and graft integration and healing
- ☆ Internal driving mechanism to minimize risk of breakage
- ☆ Precise injection molding for superior toughness




Interference Screw and Sheath



02 Mini Tenodesis Screw



01 PEEK Interference Screw



03 Bioabsorbable\* Interference Screw

\*only available in certain regions

# Interference Screw System

## Order Information

| Model | Code      | Description                                        |
|-------|-----------|----------------------------------------------------|
| PSS-1 | F04000028 | 7mm × 24.5mm sheath and 6.5mm × 23mm screw         |
| PSS-1 | F04000029 | 8mm × 29.5mm sheath and 7mm × 28mm screw           |
| PSS-1 | F04000093 | 8.5mm × 29.5mm sheath and 7.5mm × 28mm screw       |
| PSS-1 | F04000133 | 9.5mm × 29.5mm sheath and 8.5mm × 28mm screw       |
| PSS-1 | F04000173 | 10.5mm × 29.5mm sheath and 9.5mm × 28mm screw      |
| PSS-1 | F04000213 | 11.5mm × 29.5mm sheath and 10.5mm × 28mm screw     |
| PIS-1 | F04100984 | 6mm interference screw, 6.0mm × 17.0mm             |
| PIS-1 | F04100026 | 6.5mm interference screw, 6.5mm × 23.0mm           |
| PIS-1 | F04100045 | 7mm interference screw, 7.0mm × 23.0mm             |
| PIS-1 | F04100083 | 8mm interference screw, 8.0mm × 23.0mm             |
| PIS-1 | F04100121 | 9mm interference screw, 9.0mm × 23.0mm             |
| PIS-1 | F04100159 | 10mm interference screw, 10.0mm × 23.0mm           |
| PIS-1 | F04100027 | 7mm interference screw, 7.0mm × 28.0mm             |
| PIS-1 | F04100069 | 7.5mm interference screw, 7.5mm × 28.0mm           |
| PIS-1 | F04100107 | 8.5mm interference screw, 8.5mm × 28.0mm           |
| PIS-1 | F04100145 | 9.5mm interference screw, 9.5mm × 28.0mm           |
| PIS-1 | F04100183 | 10.5mm interference screw, 10.5mm × 28.0mm         |
| AIS-1 | F05000001 | 6mm bioabsorbable interference screw, 6mm × 23mm   |
| AIS-1 | F05000002 | 7mm bioabsorbable interference screw, 7mm × 23mm   |
| AIS-1 | F05000003 | 8mm bioabsorbable interference screw, 8mm × 23mm   |
| AIS-1 | F05000004 | 9mm bioabsorbable interference screw, 9mm × 23mm   |
| AIS-1 | F05000005 | 10mm bioabsorbable interference screw, 10mm × 23mm |
| AK2   | F02000060 | 3mm mini tenodesis screw, 3mm × 8mm                |
| AK2   | F02000061 | 4mm mini tenodesis screw, 4mm × 10mm               |

# Fixed Suture Button

- ☆ Continuous braided loop design for superior tensile strength and less displacement
- ☆ Preloaded USP #6 pulling suture and flipping suture
- ☆ Strong UHMWPE suture for superior strength
- ☆ Available in 15mm - 60mm sizes
- ☆ Suitable for single, double-bundle and BTB fixation






## Order Information

| Model | Code      | Description                                                           |
|-------|-----------|-----------------------------------------------------------------------|
| EB1F  | F06030383 | Type-1 button, 10.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06030384 | Type-1 button, 12.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06003078 | Type-1 button, 15.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06003168 | Type-1 button, 20.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06003258 | Type-1 button, 25.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06003348 | Type-1 button, 30.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06003438 | Type-1 button, 35.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06003528 | Type-1 button, 40.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |
| EB1F  | F06003618 | Type-1 button, 45.0mm fixed loop, 12.0mm x 4.0mm x d 1.5mm, #6 suture |

# Adjustable Suture Button

- ☆ Preloaded USP #6 pulling and flipping suture
- ☆ Double-handed adjustment method ensures uniform tensioning
- ☆ Larger contact surface with graft prevents abrasion and tendon cutting




## Order Information

| Model | Code      | Description                                                                        |
|-------|-----------|------------------------------------------------------------------------------------|
| EB1A  | F06003978 | Type-1 button, 60mm adjustable loop, 12mm x 4mm x d 1.5mm suture button, #6 suture |
| EB4A  | F06100054 | Type-4 button, 60mm adjustable loop, 11mm x d 1.5mm suture button                  |
| EB4A  | F06100055 | Type-4 button, 60mm adjustable loop, 14mm x d 1.5mm suture button                  |
| EB4A  | F06100056 | Type-4 button, 60mm adjustable loop, 20mm x d 1.5mm suture button                  |

# Acromioclavicular (AC) Suture Buttons

- ☆ Anatomical curved design
- ☆ Larger surface area for better pressure distribution
- ☆ Side loading design for one step tape passing




## Order Information

| Model | Code      | Description                             |
|-------|-----------|-----------------------------------------|
| EB3F  | F06004245 | Type-3 button, 10.0mm × 5.5mm × d 1.5mm |

# Other Suture Buttons

## Type-0 Multi Function Button Type-2 Multi Function Button

- ☆ Designed for tibial fixation
- ☆ Provides reliable cortical fixation
- ☆ Maximum contact with bone to accelerate healing



## Type-4 Fixation Button

- ☆ Centering feature offers better graft-to-bone integration
- ☆ Less bleeding due to distal coverage of drill bit
- ☆ Ability to lie flat on the cortex removing the need of graft removal
- ☆ Can be applied for double-bundle technique



## Order Information

| Model | Code      | Description                             |
|-------|-----------|-----------------------------------------|
| EB0F  | F06000001 | Type-0 button, 12.0mm × 4.0mm × d 1.5mm |
| EB2F  | F06004152 | Type-2 button, 12.0mm × 3.5mm × d 1.5mm |
| EB4F  | F06002164 | Type-4 button, 14.0mm × d 1.2mm         |
| EB4F  | F06100051 | Type-4 button, 14.0mm × d 1.5mm         |
| EB4F  | F06100022 | Type-4 button, 20.0mm × d 1.5mm         |


Syndesmosis Button  
System



► Order Information

| Model | Code      | Description                                                                                                      |
|-------|-----------|------------------------------------------------------------------------------------------------------------------|
| EBST  | F06100057 | Suture Button for Syndesmosis Fixation, Flip-Button with Inserter, Tensionable, Ø12.5/Ø6.5 mm, 13 × 3.3 × 1.5 mm |

AccurFix All-Inside  
Meniscal Repair



► Order Information

| Model    | Code      | Description                                            |
|----------|-----------|--------------------------------------------------------|
| M01BR    | F08000005 | 20° curved, T1 (1.0mm × 5mm), T2 (1.3mm × 5mm)         |
| M01CR    | F08000007 | 20° reverse curved, T1 (1.0mm × 5mm), T2 (1.3mm × 5mm) |
| M01AR    | F08000003 | 0° straight, T1 (1.0mm × 5mm), T2 (1.3mm × 5mm)        |
| ST100102 | F14900151 | Meniscus bender                                        |
| SC1S     | F14100029 | Disposable knot pusher and suture cutter               |


# AccurFix All-Inside Meniscal Repair

## ▶ High-Strength Meniscal Repair

- ☆ Smaller anchor, less trauma
- ☆ 100% high-strength UHMWPE suture

## ▶ Efficient Operation

- ☆ Easy to operate 360° actuation design
- ☆ 20° needle angle for more convenient puncture




Depth Markings



Adjustable limiter

## ▶ Operation Steps




Measure depth and adjust limiter



Deploy first implant



Deploy second implant



Push the knot and cut the suture

# Surgical Staples System

Flat fixing surface to disperse contact stress ☆

Patented tapered tip design to reduce bone surface damage ☆

Barbed design increases fixation strength ☆

Double-side chamfered design for an easy removal ☆




## ▶ Order Information

| Model | Code      | Description                                         |
|-------|-----------|-----------------------------------------------------|
| UNIII | F18000011 | U shape staple, 18.0mm × 6.0mm × 1.9mm              |
| UNIX  | F18000012 | U shape staple, 18.0mm × 6.0mm × 1.9mm, with spikes |

# Inside-Out Double Needles

## Meniscal Repair

- ☆ Double stainless steel needles easily pass through meniscus & soft tissues
- ☆ High-strength #2-0 UHMWPE suture




### Order Information

| Model | Code      | Description                                                       |
|-------|-----------|-------------------------------------------------------------------|
| UHSN2 | F08000001 | Meniscal suture and double needle 750mm, #2-0 suture (blue/white) |

# UHMWPE Tapes

## Flat-to-Round Design


- ☆ Seamless tapered ends from tape to round suture for easy suture passage
- ☆ Increased contact area distributes pressure for less risk of soft tissue cutting
- ☆ Lays flat against soft surface, ideal for AC joint reconstruction
- ☆ Up to 1500N strength




### Order Information

| Model | Code      | Description                     |
|-------|-----------|---------------------------------|
| UHT   | F07002992 | 1.5mm tape (blue), 750mm        |
| UHT   | F07002993 | 1.5mm tape (white), 750mm       |
| UHT   | F07002990 | 1.5mm tape (black), 750mm       |
| UHT   | F07300263 | 1.5mm tape (white/blue), 750mm  |
| UHT   | F07002991 | 1.5mm tape (white/black), 750mm |
| UHT   | F07003001 | 1.5mm tape (blue/black), 750mm  |
| UHT   | F07002908 | 2mm tape (white), 750mm         |
| UHT   | F07002746 | 2mm tape (blue), 750mm          |
| UHT   | F07002982 | 2mm tape (black), 750mm         |
| UHT   | F07002827 | 2mm tape (white/blue), 750mm    |
| UHT   | F07002945 | 4mm tape (white), 750mm         |
| UHT   | F07002946 | 4mm tape (white/blue), 750mm    |

# UHMWPE Round Suture with Needle



# UHMWPE Round Suture without Needle



- ★ Ultra high molecular weight polyethylene fiber for superior strength
- ★ Core braiding technology, flexible, abrasion resistant, and easy to tie a knot
- ★ Patented cutting and stiffening the ends of suture, easy to pull through
- ★ Available in blue, white, blue/white, with needle or without needle
- ★ Complete in specifications from USP #2-0, #0, #2, #5, #6


## UHMWPE Round Suture

### ► Order Information

| Model | Code      | Description                                                                                                             |
|-------|-----------|-------------------------------------------------------------------------------------------------------------------------|
| UHSN  | F07001082 | USP #2-0/EP3 suture (white), 950mm, with round 1/2 circle needle A 7mm × 12mm                                           |
| UHSN  | F07001728 | USP #2-0/EP3 suture (blue), 950mm, with round 1/2 circle needle A 7mm × 12mm                                            |
| UHSN  | F07001101 | USP #0/EP3.5 suture (white), 950mm, with round 1/2 circle needle A 8mm × 14mm                                           |
| UHSN  | F07001424 | USP #0/EP3.5 suture (blue), 950mm, with round 1/2 circle needle A 8mm × 14mm                                            |
| UHSN  | F07001139 | USP #2/EP5 suture (white), 950mm, with round 1/2 circle needle A 10mm × 18mm                                            |
| UHSN  | F07001462 | USP #2/EP5 suture (white/blue), 950mm, with round 1/2 circle needle A 10mm × 18mm                                       |
| UHSN  | F07001786 | USP #2/EP5 suture (white/black), 950mm, with round 1/2 circle needle A 10mm × 18mm                                      |
| UHSN  | F07001785 | USP #2/EP5 suture (blue), 950mm, with round 1/2 circle needle A 10mm × 18mm                                             |
| UHSN  | F07300261 | USP #5/EP7 suture (white), 950mm, with round 1/2 circle needle A 12.8mm × 18.0mm                                        |
| UHSN  | F07300262 | USP #5/EP7 suture (white/blue), 950mm, with round 1/2 circle needle A 12.8mm × 18.0mm                                   |
| UHSN  | F07002994 | Graft preparation suture loop, USP #2/EP5 suture (blue), 950mm, with straight needle 1.0mm (diameter) × 40.0mm (length) |

### ► Order Information

| Model | Code      | Description                             |
|-------|-----------|-----------------------------------------|
| UHS   | F07100113 | USP #2-0/EP3 suture (white), 950mm      |
| UHS   | F07100759 | USP#2-0/EP3 suture (blue), 950mm        |
| UHS   | F07100132 | USP #0/EP3.5 suture (white), 950mm      |
| UHS   | F07100455 | USP #0/EP3.5 suture (white/blue), 950mm |
| UHS   | F07100170 | USP #2/EP5 suture (white), 950mm        |
| UHS   | F07100493 | USP #2/EP5 suture (white/blue), 950mm   |
| UHS   | F07002955 | USP #2/EP5 suture (white/black), 950mm  |
| UHS   | F07200244 | USP #2/EP5 suture (blue/black), 950mm   |
| UHS   | F07100816 | USP #2/EP5 suture (blue), 950mm         |
| UHS   | F07002975 | USP #2/EP5 suture (black), 950mm        |
| UHS   | F07100227 | USP #5/EP7 suture (white), 950mm        |
| UHS   | F07100550 | USP #5/EP7 suture (white/blue), 950mm   |




Threaded Cannulas

- ★ Threaded design on the tip to prevent withdrawal
- ★ Double line thread with larger lead and faster screw-in
- ★ Side tapered handle for easy and firm handling



Silicon Cannulas




► Order Information

| Model | Code      | Description                           |
|-------|-----------|---------------------------------------|
| C610  | F17000005 | Threaded cannula, 7mm × L70mm         |
| C64   | F17000007 | Threaded cannula, 8mm × L70mm         |
| C74   | F17000607 | Full threaded cannula, 6.5mm × L70mm  |
| C74   | F17000608 | Full threaded cannula, 8.5mm × L70mm  |
| C74   | F17000609 | Full threaded cannula, 8.5mm × L90mm  |
| C74   | F17000610 | Full threaded cannula, 8.5mm × L110mm |
| C0    | F17100086 | Silicon cannula, 8mm × L30mm          |
| C0    | F17100087 | Silicon cannula, 10mm × L40mm         |

Shaver Blades Connectors

- ★ STAR unique edge treatment technique that cuts efficiently
- ★ Laser welding for high strength torque and clean inner sheath
- ★ Micron-level tolerance fit of inner and outer tube
- ★ Durable and debris-free grinding
- ★ Available in various connectors



STAR 1st Gen Shaver System  
Conmed/Linvatec Compatible



Smith&Nephew Compatible



STAR 2nd Gen Shaver System  
Stryker Compatible

## Synovial Shaver Blades

- ☆ Flat incision surface for a concentrated soft tissue excision
- ☆ Double cutting window in inner tube, shallow incision



| Model  | Code      | Description                                                  |
|--------|-----------|--------------------------------------------------------------|
| BA07SS | F09027578 | STAR/Conmed/Linvatec compatible, synovial blade, 4mm × 187mm |
| BA07SF | F09027577 | Smith&Nephew compatible, synovial blade, 4mm × 193mm         |
| BA07ST | F09000579 | Stryker compatible, synovial blade, 4mm × 187mm              |

## Crescent Shaver Blades

- ☆ Flat incision surface, wide range of use
- ☆ Large cutting window for end/lateral cutting



| Model  | Code      | Description                                                  |
|--------|-----------|--------------------------------------------------------------|
| BD02SS | F09032528 | STAR/Conmed/Linvatec compatible, crescent blade, 4mm × 187mm |
| BD02SF | F09059527 | Smith&Nephew compatible, crescent blade, 4mm × 193mm         |
| BD02ST | F09005529 | Stryker compatible, crescent blade, 4mm × 184mm              |

## Power Shaver Blades

- The most aggressive blade from STAR ☆
- Large window for precise excision ☆



| Model  | Code      | Description                                               |
|--------|-----------|-----------------------------------------------------------|
| BB01SS | F09000003 | STAR/Conmed/Linvatec compatible, power blade, 3mm × 148mm |
| BB01SS | F09028838 | STAR/Conmed/Linvatec compatible, power blade, 4mm × 187mm |
| BB01SF | F09000004 | Smith&Nephew compatible, power blade, 3mm × 148mm         |
| BB01SF | F09055837 | Smith&Nephew compatible, power blade, 4mm × 193mm         |
| BB01ST | F09000002 | Stryker compatible, power blade, 3mm × 148mm              |
| BB01ST | F09028839 | Stryker compatible, power blade, 4mm × 187mm              |

## Round Tip Shaver Blades

- Sharp and powerful resection ☆
- Round tip with teeth on both sides to protect surrounding tissues ☆



| Model  | Code      | Description                                                   |
|--------|-----------|---------------------------------------------------------------|
| BE03SS | F09034418 | STAR/Conmed/Linvatec compatible, round tip blade, 4mm × 187mm |
| BE03SF | F09061417 | Smith&Nephew compatible, round tip blade, 4mm × 193mm         |
| BE03ST | F09007419 | Stryker compatible, round tip blade, 4mm × 184mm              |

Plasma RF Wands



Ball-type Burr

- Forward rotation for effective bone removal ☆
- Reverse rotation for bone surface polishing ☆
- 12-edged spherical design for a well-controlled resection ☆

| Model  | Code      | Description                                                     |
|--------|-----------|-----------------------------------------------------------------|
| BL13SS | F09047945 | STAR/Conmed/Linvatec compatible, ball-type burr , 5.5mm × 187mm |
| BL13SF | F09074944 | Smith&Nephew compatible, ball-type burr , 5.5mm × 193mm         |
| BL13ST | F09020946 | Stryker compatible, ball-type burr , 5.5mm × 184mm              |



Cylinder-type Burr

- Forward rotation for effective bone removal ☆
- Reverse rotation for bone surface polishing ☆
- 12-edged spherical design for a well-controlled resection ☆

| Model  | Code      | Description                                                         |
|--------|-----------|---------------------------------------------------------------------|
| BL14SS | F09048035 | STAR/Conmed/Linvatec compatible, cylinder-type burr , 5.5mm × 187mm |
| BL14SF | F09075034 | Smith&Nephew compatible, cylinder-type burr , 5.5mm × 193mm         |
| BL14ST | F09081001 | Stryker compatible, cylinder-type burr , 5.5mm × 184mm              |

CE certified  ☆


Variety of electrode tips ☆

Ergonomic handle and safe bipolar design ☆

Suitable for shoulder, knee, hip, and more ☆

Excellent cutting and coagulation function, rapid soft tissue ablation ☆

Full manual button design for both coagulation and ablation ☆



Plasma RF Wands  
with Suction

- ☆ Large area coagulation
- ☆ Large scale soft tissue ablation
- ☆ Cartilage clearing and shaping



F11201111



F11203111



F11202111


Plasma RF Wands  
without Suction



F11101011

Hook Electrode

- ☆ Very high cutting efficiency
- ☆ Fine incision to remove large amount of soft tissue



F11102011

Meniscus Electrode

- ☆ Extremely high ablation efficiency
- ☆ Very effective for large area ablation and cleaning



F11103011

Ablation Electrode

- ☆ Very high ablation efficiency
- ☆ Effective for large area ablation and cleanup, local stump and synovial cleaning



F11104015

Small Joint Electrode

- ☆ Specifically designed for minimally invasive surgeries
- ☆ Enables rapid and accurate peeling of soft tissue adhesions

► Order Information

| Model | Code      | Description             | Specification | Picture                                                                               |
|-------|-----------|-------------------------|---------------|---------------------------------------------------------------------------------------|
| B0111 | F11201111 | Coagulation Electrode 1 | 3.8x135x90°   |  |
| B0211 | F11202111 | Coagulation Electrode 2 | 3.8x135x41°   |  |
| B0311 | F11203111 | Coagulation Electrode 3 | 3.8x135x30°   |  |

► Order Information

| Model | Code      | Description           | Specification | Picture                                                                               |
|-------|-----------|-----------------------|---------------|---------------------------------------------------------------------------------------|
| A0101 | F11101011 | Hook Electrode        | 3.4x135x30°   |  |
| A0201 | F11102011 | Meniscus Electrode    | 3.4x135x30°   |  |
| A0301 | F11103011 | Ablation Electrode    | 4.5x135x90°   |  |
| A0401 | F11104015 | Small Joint Electrode | 1,4x100x30°   |  |